Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2422	(SCRIPT OR PROGRAM\$1 OR CODE\$1 OR COMMAND\$1) SAME PARS\$3 SAME LIST\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:34
L2	99541	(ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT) NEAR5 (TABLE\$1 OR LIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:47
L3	119	L1 SAME L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L4	45	L3 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L5	83	L3 AND (MULTIMEDIA OR MEDIA OR STREAM\$4 OR PLAYER\$1 OR PLAYBACK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L6	29	L5 AND L4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L7	1329	709/231.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L8	0	L7 AND L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L9	777	L1 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35

L10	3	L9 AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:35
L11	8	"6226672":UREF:	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:43
L12		L11 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36
L13	2	"6226672".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36
L14	32	("4703465" "5307456" "5499046" "5579537" "5583561" "5583763" "5592551" "5596705" "5616876" "5633839" "5721951" "5722669" "5751672" "5787423" "5796945" "5818435" "5819160" "5826102" "5838314" "5864868" "5886698" "5892915" "5900608" "5918213" "5931901" "5953005" "5956716" "5963916" "5973722" "5983069" "5995951" "6118450").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 14:05
L15	11	L2 AND L14	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 13:36
L16	10	L15 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF.	2005/05/11 13:36
L17	0	L16 AND L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36

L18	88899	(SCRIPT OR PROGRAM\$1 OR CODE\$1 OR COMMAND\$1) SAME LIST\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36
L19	6097	L18 SAME L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36
L20	4	L19 AND L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:36
L21	32	("5751672").URPN.	USPAT	OR	OFF	2005/05/11 13:37
L22	7	L19 AND L21	USPAT	OR	OFF	2005/05/11 13:37
L23	0	L22 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:37
L24	18907	L18 AND L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:37
L25	70	L24 AND L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:37
L26	2	L25 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:37
L27	36091	"709"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:37
L28	2124	L27 AND L24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38

L29	333	L28 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L30	0	L29 AND L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L31	10788	"725"/\$.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L32	4	L31 AND L29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L33	99793	(ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT) NEAR5 (TABLE\$1 OR LIST\$1 OR PLAYLIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L34	18984	L33 AND L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:38
L35	2674	L34 AND (L31 OR L27)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:39
L36	427	L35 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:39
L37	2	L36 AND PLAYLIST\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:39
L38 L39	15 4	("5566353"):URPN. L38 AND @AD<"19970502"	US-PGPUB; US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR OR	OFF OFF	2005/05/11 13:39 2005/05/11 13:39

			1			
L40	0	L39 AND L33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:39
L41	4	"5819160".PN. OR "5892915".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:39
L42	7205	(SUBSCRIBER\$1 OR USER\$1 OR CLIENT\$1) NEAR5(ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT) NEAR5 (TABLE\$1 OR LIST\$1 OR PLAYLIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:40
L43	1341	L42 AND (L31 OR L27)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:40
L44	786	L43 AND L18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:40
L45	102	L44 AND @AD<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:40
L46	2	L45 AND PLAYLIST\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:40
L47	116931	(creat\$4 or generat\$4) NEAR5 (playlist\$1 or TABLE\$1 OR LIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:57
L48	1956	(manag\$6 or expert or supervisor) near5 recommend\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:42
L49	510	48 and 47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:42

L50	2	49 and (playlist\$1)	US-PGPUB;	OR	OFF	2005/05/11 13:43
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L51	278	49 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:43
L52	2	"6226672".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:47
L53	0	11 and 49	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:43
L54	32	("4703465" "5307456" "5499046" "5579537" "5583561" "5583763" "5592551" "5596705" "5616876" "5633839" "5721951" "5722669" "5751672" "5787423" "5796945" "5818435" "5819160" "5826102" "5838314" "5864868" "5886698" "5892915" "5900608" "5918213" "5931901" "5953005" "5956716" "5963916" "5973722" "5983069" "5995951" "6118450").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 13:44
L55	0	54 and 48	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 13:44
L56	279	expert same (music or playlist\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 13:44
L57	42	56 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:58
L58	10169	709/203-208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:47

L59	7676	709/217-219.ccls. or 709/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:47
L60	3656	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:47
L61	143639	(ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT or convert\$3 or conversion\$1) NEAR5 (TABLE\$1 OR LIST\$1 or playlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:54
L62	15	61 and 54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:50
L63	15	62 and (gui or interface\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:53
L64	17307	(user\$1 or subscriber\$1 or client\$1)with (forward\$3 or transmission\$1 or transmit\$4 or send\$3) with (songlist\$1 or list\$1 or table or playlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:54
L65	1524	(server or expert\$1) near5 (ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT or convert\$3 or conversion\$1) NEAR5 (TABLE\$1 OR LIST\$1 or playlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:55
L66	1524	(server or expert\$1) near5 (ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT or convert\$3 or conversion\$1) NEAR5 (TABLE\$1 OR LIST\$1 or playlist\$1 or songlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:01
L67	169	66 same 64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:55

L68	. 21	67 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:01
L69	9227	(client or subscriber or user) near5(creat\$4 or generat\$4) NEAR5 (playlist\$1 or TABLE\$1 OR LIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:57
L70	9918	(client\$1 or subscriber\$1 or user\$1) near5(creat\$4 or generat\$4) NEAR5 (playlist\$1 or TABLE\$1 OR LIST\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:58
L71	1089	70 same 61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:58
L72	93	71 same (songlist\$1 or playlist\$1 or music)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 13:58
L73	5	72 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:00
L74	24	66 same 71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/05/11 14:00
L75	1	74 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	OFF	2005/05/11 14:02
L76	38	(expert\$1) near5 (ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT or convert\$3 or conversion\$1) NEAR5 (TABLE\$1 OR LIST\$1 or playlist\$1 or songlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:02
L77	13	76 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:01

L78	171	(expert\$1) with (ALTER\$3 OR REARRANG\$8 OR MODIF\$10 OR CHANG\$3 OR EDITING OR EDIT or convert\$3 or conversion\$1) with (TABLE\$1 OR LIST\$1 or playlist\$1 or songlist\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/05/11 14:02
L79	61	78 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:12
L80	4	smart adj control adj protocol	US-PGPUB; USPAT; USOCR	OR	OFF	2005/05/11 14:08
L81	647	((715/723) or (715/723) or (715/732) or (715/739) or (715/783)).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	OFF	2005/05/11 14:11
L82	21235	"715"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:11
L83	16	78 and 82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:11
L84	9	83 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:11
L85	44	81 and (59 or 60 or 58)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:12
L86	7	85 and @ad<"19970502"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 14:12